

ROOTS SCRUB

RB 650 | RB 750 PREMIUM

COMPACT **RIDE ON** SCRUBBER DRIER



THE ICON OF PERFORMANCE AND EFFICIENCY

RB 650 | RB 750 PREMIUM



*New Age LCD Panel
for Functionality display*

*One touch function
to switch to ECO mode*

*Soft touch control
for water flow*

*One touch control for
Extra pressure function*

*One touch control for Brush
and Squeegee operations*

FEATURES

Working Lamp

Transport Mode

Horn

Slow Mode

Reverse Mode

Water flow control

Vacuum operation

ECO Mode

Brush operation

Extra Pressure Mode

Dual Mode

Detergent dosing control



ONE TOUCH SOFT CONTROL LCD PANEL



Innovative V squeegee with double swing movements



Robust construction with inbuilt Anti Bacterial tank




Powerful 200 Ah batteries ensures longer work time

ADVANTAGES



*Easy to operate in Ramps,
Gradient up to 12%*



*Compact machine - easy to transport
through elevators / lifts*



*Wide pouring pot easy to refill fresh water
with level indicator*



*Anti bacterial tank has special coating
that prevents the build-up/growth of bacteria*



*Pad holder and Variety of brushes
available for different type of floors*

SAFETY



Emergency stop push button



safety lock for tank for maintenance



Deflector roller for cleaning the edges without any collision



Fresh water filter & Anti skid non marking rubber wheels



Anti skid wheels with automatic speed reduction in sharp turns



Automatic vacuum cut off float switch & Air filter for motor safety



powerful working lamp for cleaning dark areas



Beacon lamp to attract the attention of surrounding vehicles and pedestrians



powerful working lamp for cleaning dark areas

RB 650 | RB 750 PREMIUM



Technical specification	Units	RB 650	RB 750
Scrubbing width	mm	650	750
Suction Width	mm	870	970
Theoretical area coverage	m ² /h	4225	4875
Working Speed, up to	km/h	6.5	6.5
Travel Speed	Km/h	7	7
Power Supply	V/Ah	24 DC/200	24 DC/200
Total Power	W	1600	1750
No. of brushes	No.	2	2
Diameter of brush	mm	333	385
Brush Speed	rpm	180	180
Brush load	kg	25	30
Fresh water tank	L	100	100
Dirty water tank	L	100	100
Dimensions with squeegee	LxBxH mm	1525 x 870 x 1520	1525 x 970 x 1520
Total Weight Empty/with battery	kg	220/350	240/370
Total Weight ready to Operate	kg	450	470
Turning Circle	mm	1250	1250
Gradient	%	11	11



Swacch India Project Pvt Ltd

D-no- 2-69/1,NRI Women's college road Srinivas Nagar,
YENDADA.Vishakapatnam,Andhraprabdesb - 530045

Tel : +91 97031 55222, +91 79 8102 1229

Email : sharath007@gmail.com